

# KimNOW!®

5-Day Shipping. Quality on Demand.



Site/Roadway

Pedestrian

Building  
Perimeter

Landscape (12/120V)  
**NEW!**

**12 VOLT LANDSCAPE**

**Luminaire**

 <b>Scarab™</b> KN-KLV715 Brass (NB) KN-KLV710 Alum. (BL, GR) <sup>1</sup> 20W - 50W MR16 Hal.	 <b>Ravenna™ Highlighter</b> KN-KLV170 Alum. (BL, GR) 20W - 50W MR16 Hal.
 <b>Scarab</b> KN-KLV725 Brass (NB) 20W - 75W MR16 Hal.	 <b>Ravenna Lowlighter</b> KN-KLV270 Alum. (BL, GR) 20W - 50W MR16 Hal.
 <b>Square Hood</b> KN-KLV205 Alum. (BL) <sup>1</sup> 20W - 75W MR16 Hal.	 <b>Traditional Floral</b> KN-KLV10 Verde Copper KN-KLV12 Natural Copper 25W - 50W A-19 Incand.
 <b>MRI I</b> KN-KLV200 Alum. (BL, GR) <sup>1</sup> 20W - 50W MRI I Hal.	 <b>Traditional - Pagoda Hood</b> KN-KLV179/H60 8" (NB) KN-KLV182/H60 13" (NB) KN-KLV187/H60 20" (NB) Brass Stem/Copper Hood 50W MR16 Hal.
 <b>MRI 6</b> KN-KLV201 Alum. (BL, GR) <sup>1</sup> 20W - 75W MR16 Hal.	 <b>Traditional - Cone Hood</b> KN-KLV179/H80 8" (NB) KN-KLV182/H80 13" (NB) KN-KLV187/H80 20" (NB) Brass Stem/Copper Hood 50W MR16 Hal.
 <b>MicroFlood®</b> KN-KLV215 Alum. (DB, GR) <sup>1</sup> 20W - 50W T-3 or T-4 Bipin Hal.	 <b>Traditional - Mushroom Hood</b> KN-KLV179/H70 8" (NB) KN-KLV182/H70 13" (NB) KN-KLV187/H70 20" (NB) Brass Stem/Copper Hood 50W MR16 Hal.
 <b>Mushroom</b> KN-KLV115 Alum. (BL, GR) 25W - 50W A-19 Incand.	

Ordering Example: **KN-KLV71NB**  
 KimNOW! | Finish  
 Model

**Key:**  
 Aluminum Finishes: (BL) = Black (DB) = Dark Bronze (GR) = Verde Green  
 Brass Finish: (NB) = Natural Brass

<sup>1</sup>Models do not meet ARRA criteria. See back cover for details.  
 Maximum KimNOW! orders for 12/120 or 277V landscape selections shall be 10 units per order. Sign/Wall Lighter shall be 5 units.  
**NOTE:** Based on historical demand, orders for unusually high unit volume may occasionally require slightly longer to produce as Made-to-Order.

**120/277 VOLT LANDSCAPE**

**Luminaire**

 <b>Scarab</b> KN-C725 Brass (NB) KN-EL720 Alum. (BL, GR) <sup>1</sup> 35W - 50W PAR20 Hal.	 <b>Mushroom</b> KN-EL115 Alum. (BL, GR) 40W A-19 Incand.
 <b>Spun Copper Bullet</b> KN-C24 Copper 150W R40 Incand. 150W PAR38 Incand./Hal.	 <b>Louvered Body</b> KN-EL120 Alum. (BL, GR) KN-EL121 Alum. (GR) 100W A-21 Incand. 75W A-19 Incand.
 <b>Square Hood</b> KN-EL205 Alum. (BL, GR) <sup>1</sup> 50W PAR20 Hal. 50W R20 Incand.	 <b>The Path Pilot®</b> KN-EL105 Alum. (BL, GR) 75W A-19 Incand. 100W A-21 Incand.
 <b>Square Hood</b> KN-EL210 Alum. (GR) <sup>1</sup> 150W PAR38 Incand./Hal.	 <b>Ravenna Highlighter</b> KN-EL170 Alum. (BL, GR) 20W - 50W MR16 Hal.
 <b>Bullet</b> KN-EL220 Alum. (BL, GR) <sup>1</sup> 150W PAR38 Incand./Hal. 150W R40 Incand.	 <b>Ravenna Lowlighter</b> KN-EL270 Alum. (BL, GR) 20W - 50W MR16 Hal.
 <b>Sign/Wall Lighter</b> 4348 Alum. (DB) (1) 54W T-5HO Fluor. (2) 54W T-5HO Fluor.	 <b>Traditional - Pagoda Hood</b> KN-BN179/H60 8" (NB) KN-BN182/H60 13" (NB) KN-BN187/H60 20" (NB) Brass Stem/Copper Hood 60W A-19 Incand.
 <b>The Path-Lighter</b> KN-3091 Alum. (DB) KN-3095 Alum. (DB) 100W A-21 Incand. 9W Twin Tube Fluor.	 <b>Traditional - Cone Hood</b> KN-BN179/H80 8" (NB) KN-BN182/H80 13" (NB) KN-BN187/H80 20" (NB) Brass Stem/Copper Hood 60W A-19 Incand.
 <b>Lightvault®</b> KN-LTV761 Brass (NB) KN-LTV764 Brass (NB) 50W PAR20 Hal. 50W MR16 Hal.	 <b>Traditional - Mushroom Hood</b> KN-BN179/H70 8" (NB) KN-BN182/H70 13" (NB) KN-BN187/H70 20" (NB) Brass Stem/Copper Hood 60W A-19 Incand.
 <b>Traditional Floral</b> KN-BN10 Verde Copper KN-BR12 Natural Copper 40W A-19 Incand.	 <b>Wren House</b> KN-AN30 Verde Copper KN-AR32 Natural Copper 60W A-19 Incand.

**12 Volt Accessories**

 <b>KN-KLV600</b> 200W <b>KN-KLV605</b> 300W <b>KN-KLV620</b> 600W <b>KN-KLV625</b> 900W Above Grade Transformer	 <b>KN-KLV415</b> Extension Module Alum. (BL)
 <b>KN-EPI7</b> Landscape Light Post	 <b>KN-KLV427</b> #12-2 cable 500' length
 <b>KN-KLV400</b> Spear Mount Alum. (BL, DB)	 <b>KN-KLV432</b> #8-2 cable 500' length
	 <b>KN-KLV410</b> sealed connector; low voltage

**120 Volt Accessories**

 <b>KN-JBR2</b> In-grade <b>KN-JBR3</b> In-grade <b>KN-JBR30</b> In-grade Staked <b>KN-JBR32</b> In-grade w/cord Junction Box, Brass (NB)	 <b>KN-EPI7</b> Landscape Light Post
 <b>KN-J-27N</b> Surface Mount Alum. (BL), (DB), (GR)	 <b>KN-JBI</b> Architectural Junction Box Alum. (BL), (DB), (GR)
 <b>KN-JW</b> Alum. (BL), (DB), (GR) <b>KN-JWBR</b> Brass (NB) Architectural Wall Mount	 <b>KN-J-25N</b> Portable Spear Mount w/cord

**SITE/ROADWAY, ARCHITECTURAL FLOODLIGHT, LOW LEVEL, IN-GRADE, WALL MOUNT**

	<b>Luminaire</b>	<b>Accessories and Options</b>
	<p><b>The Archetype® (Small) Site/Roadway Luminaire</b> Full-cutoff luminaire, Type III and Type V horizontal optical systems, die-cast housing, IP66 rating, compatible with a 4" O.D. pole <b>Fixture/Distribution/Wattage:</b> KN-SAR3/100PMH<sup>2</sup> KN-SAR5/100PMH<sup>2</sup> KN-SAR3/150PMH<sup>2</sup> KN-SAR5/150PMH<sup>2</sup></p>	<p>KN-SAR/HS Houseside Shield KN-IW/SAR Wall Mount</p>
	<p><b>The Archetype (Large) Site/Roadway Luminaire</b> Full-cutoff luminaire, Type III and Type V horizontal optical systems, die-cast housing, IP66 rating, compatible with a 5" O.D. pole <b>Fixture/Distribution/Wattage:</b> KN-AR3/250PMH<sup>2</sup> KN-AR5/250PMH<sup>2</sup> KN-AR3/400PMH<sup>2</sup> KN-AR5/400PMH<sup>2</sup></p>	<p>KN-AR/HS Houseside Shield KN-VSFIA Single Arm Vertical Slipfitter Mount KN-VSF2B Single Arm Vertical Slipfitter Mount KN-IW/SAR Wall Mount</p>
	<p><b>Compact Floodlight High Performance Flood</b> Wide flood distribution, die-cast housing, IP66 rating <b>Fixture/Distribution/Wattage:</b> KN-CF1/50PMH<sup>2</sup> KN-CF1/42PL<sup>3</sup> KN-CF1/70PMH<sup>2</sup> KN-CF1/45LED<sup>4</sup></p>	<p>KN-BD-CFL Barn Door KN-FH-CFL Fixed Hood KN-FS-CFL Full Shield KN-JW Architectural Wall Mount KN-JBI Architectural J-box</p>
	<p><b>Architectural Floodlight High Performance Flood</b> Wide flood KN-AFL11, vertical flood KN-AFL12 and spot KN-AFL15 distributions, heavy duty swivel, die-cast housing, IP66 rating <b>Fixture/Distribution/Wattage:</b> KN-AFL11/150PMH/HDS<sup>2</sup> KN-AFL12/150PMH/HDS<sup>2</sup> KN-AFL15/150PMH/HDS<sup>2</sup></p>	<p>KN-BD Barn Door KN-FH Fixed Hood KN-AFL-LS Lexan SLX Glare Shield KN-SM2 Stanchion Mount Tenon KN-SMT Surface Mount Tenon</p>
	<p><b>Architectural Floodlight High Performance Flood</b> Wide flood KN-AFL21, vertical flood KN-AFL22 and spot KN-AFL25 distributions, die-cast housing, IP66 rating <b>Fixture/Distribution/Wattage:</b> KN-AFL21/250PMH<sup>2</sup> KN-AFL25/250PMH<sup>2</sup> KN-AFL22/250PMH<sup>2</sup> KN-AFL25/400PMH<sup>2</sup> KN-AFL22/400PMH<sup>2</sup></p>	<p>KN-BD2 Barn Door, KN-FH2 Fixed Hood KN-AFL-LS2 Lexan SLX Glare Shield KN-SM2 Stanchion Mount Tenon KN-SMT Surface Mount Tenon KN-WM2 Wall Mount Tenon</p>
	<p><b>Bollard Vandal Resistant Bollard Luminaire</b> Durable and vandal resistant, symmetrical distribution <b>Fixture/Distribution/Wattage:</b> KN-VRB1/100PMH<sup>2</sup> KN-VRB1/42PL<sup>3</sup></p>	<p>DB Dark Bronze finish option WH White finish option</p>
	<p><b>Lightvault In-Grade Luminaire</b> Spot KN-LTV50SP, narrow flood KN-LTV50NF and wall wash KN-LTV52WW distributions, compression molded, fiberglass impregnated composite housing, cast bronze lens ring, IP68 rating <b>Fixture/Distribution/Wattage:</b> KN-LTV50SP/70PMH<sup>2</sup> KN-LTV50NF/70PMH<sup>2</sup> KN-LTV52WW/70PMH<sup>2</sup></p>	<p>KN-GM50 Grout Mask KN-HS50 Bronze Half Shield Lens Ring KN-RG50 Bronze Rock Guard Lens Ring KN-TR50 Trim Ring</p>
	<p><b>Lightvault In-Grade Luminaire</b> Spot KN-LTV10SP and narrow flood KN-LTV10NF distributions, compression molded, fiberglass impregnated composite housing, cast bronze lens ring, IP68 rating <b>Fixture/Distribution/Wattage:</b> KN-LTV10SP/150PMH<sup>2</sup> KN-LTV10NF/150PMH<sup>2</sup></p>	<p>KN-GM10 Grout Mask KN-HS10 Bronze Half Shield Lens Ring KN-RG10 Bronze Rock Guard Lens Ring KN-TR10 Trim Ring</p>
	<p><b>Lightvault In-Grade Luminaire</b> Wall wash KN-LTV22WW distribution, compression molded, fiberglass impregnated composite housing, cast bronze lens ring, IP68 rating <b>Fixture/Distribution/Wattage:</b> KN-LTV22WW/150PMH<sup>2</sup></p>	<p>KN-GM30 Grout Mask KN-HS10 Bronze Half Shield Lens Ring KN-RG10 Bronze Rock Guard Lens Ring KN-TR10 Trim Ring</p>
	<p><b>Wall Director® (Small) Wall Mounted Luminaire</b> Full-cutoff downlight luminaire, Type III distribution, die-cast housing, IP66 rating <b>Fixture/Distribution/Wattage:</b> KN-WD14D3/70PMH<sup>2</sup> KN-WD14D3/150PMH<sup>2</sup></p>	<p>KN-SDS14 5° Shield KN-WG14 Wire Guard KN-SCM14D Surface Conduit Mount Down</p>
	<p><b>Wall Director (Large) Wall Mounted Luminaire</b> Full-cutoff downlight luminaire, Type III distribution, die-cast housing, IP66 rating <b>Fixture/Distribution/Wattage:</b> KN-WD18D3/250PMH<sup>2</sup> KN-WD18D3/400PMH<sup>2</sup></p>	<p>KN-SDS18 5° Shield, KN-WG18 Wire Guard KN-SCM18D Surface Conduit Mount Down</p>

<sup>2</sup> Multi-tap ballast (120, 208, 240 or 277V)

<sup>3</sup> Multi-tap ballast (120 thru 277V)

<sup>4</sup> 120V only

PMH = Pulse Start Metal Halide

PL = Compact Fluorescent

LED = Light Emitting Diode

**KimNOW!** products are Dark Bronze, except where noted.

Maximum orders vary from 4 to 15 units per order, depending on model selection. Contact sales rep. for quantity.

**NOTE:** Based on historical demand, orders for unusually high unit volume may occasionally require slightly longer to produce as Made-to-Order.

# 5-Day Shipping • Quality on Demand



Traditional with Mushroom Hood  
(KN-BN187/H70)



Architectural Floodlight (KN-AFL10)  
with Barn Door (KN-BD)



The Archetype® (KN-SAR)  
and Wall Director® (KN-WD18)

**KimNOW!** is an ideal solution for lighting upgrades, small perimeter expansions or simply when your customer is in a pinch and needs you to be a hero when working against time!

Kim Lighting has selected a wide range of products from its most popular luminaires for area, pedestrian pathways, landscape, signage, façade lighting, or to simply add decorative accent lighting to your environment. Best of all, **KimNOW!** products meet Buy American Requirement levels, allowing you to capitalize on US stimulus funds and regional rebates, except where noted.

You can now turn to the **KimNOW!** program for complete lighting solutions shipped in 5-days from the receipt of order!

***This is outdoor lighting perfection. This is Kim Lighting.***

**American Recovery and Reinvestment Act of 2009.  
Buy American requirement levels.**

Unless otherwise noted, KimNOW! products meet the following criteria:

- Manufactured (substantially transformed) in Free Trade Agreement countries.
- Manufactured (substantially transformed) in the United States.
- Manufactured (substantially transformed) in the United States with 50% components by cost from the US.

Consult your sales representative for individual product classifications.



For complete product selection, maximum orders, photometry and specification details, log onto [www.kimlighting.com](http://www.kimlighting.com).

**NOTE:** Based on historical demand, orders for unusually high unit volume may occasionally require slightly longer to produce as Made-to-Order.

**KIM LIGHTING**  
[www.kimlighting.com](http://www.kimlighting.com)

MAILING ADDRESS  
P.O. BOX 60080  
CITY OF INDUSTRY, CA  
91716-0080

BUSINESS ADDRESS  
16555 EAST GALE AVENUE  
CITY OF INDUSTRY, CA 91745  
PHONE: 626.968.5666  
FAX: 626.369.2695

Printed in U.S.A.  
93024202  
Version 1.4 (4/11)

