



Type:

Job:

Page: 2 of 3



Standard Features

<p>Fixture</p>	<p>Cat. No. SL6 Site Lightforms</p>																																																																																				
<p>Electrical Module</p> <p>PMH = Pulse Start Metal Halide HPS = High Pressure Sodium INC = Incandescent PL = Compact Fluorescent LED = Light Emitting Diode</p> <table style="width: 100%; margin-top: 10px;"> <tr> <td style="text-align: center;">Lamp</td> <td style="text-align: center;">Lamp</td> <td style="text-align: center;">Line</td> </tr> <tr> <td style="text-align: center;">Watts</td> <td style="text-align: center;">Type</td> <td style="text-align: center;">Volts</td> </tr> <tr> <td style="text-align: center;">50</td> <td style="text-align: center;">PMH</td> <td style="text-align: center;">277</td> </tr> </table> <p style="font-size: small; margin-top: 5px;">For PMH, HPS and PL. See footnote 3 below for LED</p> <div style="text-align: center; margin-top: 10px;">  </div>	Lamp	Lamp	Line	Watts	Type	Volts	50	PMH	277	<p>Cat. Nos. for Electrical Modules available:</p> <table style="width: 100%; margin-top: 10px;"> <tr> <td></td> <td style="text-align: center;">Pulse Start Metal Halide</td> <td></td> <td style="text-align: center;">High Pressure Sodium</td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 50PMH120</td> <td style="text-align: center;"><input type="checkbox"/> 70PMH120</td> <td style="text-align: center;"><input type="checkbox"/> 50HPS120</td> <td style="text-align: center;"><input type="checkbox"/> 70HPS120</td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 50PMH208</td> <td style="text-align: center;"><input type="checkbox"/> 70PMH208</td> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 50PMH240</td> <td style="text-align: center;"><input type="checkbox"/> 70PMH240</td> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 50PMH277</td> <td style="text-align: center;"><input type="checkbox"/> 70PMH277</td> <td style="text-align: center;"><input type="checkbox"/> 50HPS277</td> <td style="text-align: center;"><input type="checkbox"/> 70HPS277</td> </tr> <tr> <td style="text-align: center;">Lamp</td> <td style="text-align: center;">ED-17, Coated</td> <td style="text-align: center;">ED-17, Coated</td> <td style="text-align: center;">ED-17, Coated</td> <td style="text-align: center;">ED-17, Coated</td> </tr> <tr> <td style="text-align: center;">Socket</td> <td style="text-align: center;">Medium Base</td> <td style="text-align: center;">Medium Base</td> <td style="text-align: center;">Medium Base</td> <td style="text-align: center;">Medium Base</td> </tr> <tr> <td style="text-align: center;">ANSI Ballast</td> <td style="text-align: center;">M-98</td> <td style="text-align: center;">M-98</td> <td style="text-align: center;">S-68</td> <td style="text-align: center;">S-62</td> </tr> </table> <table style="width: 100%; margin-top: 10px;"> <tr> <td></td> <td style="text-align: center;">Incandescent</td> <td colspan="2" style="text-align: center;">Compact Fluorescent</td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 100INC120</td> <td style="text-align: center;"><input type="checkbox"/> 13PL120¹</td> <td style="text-align: center;"><input type="checkbox"/> 42PL²</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;"><input type="checkbox"/> 13PL277¹</td> <td></td> </tr> <tr> <td style="text-align: center;">Lamp</td> <td style="text-align: center;">T-10 Inside Frost</td> <td style="text-align: center;">Coated (2) Twin Tubes</td> <td style="text-align: center;">Coated Triple Tubes</td> </tr> <tr> <td style="text-align: center;">Socket</td> <td style="text-align: center;">—</td> <td style="text-align: center;">GX23-2</td> <td style="text-align: center;">GX24q-4</td> </tr> </table> <table style="width: 100%; margin-top: 10px;"> <tr> <td></td> <td colspan="2" style="text-align: center;">LED</td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 18L3KUV³</td> <td style="text-align: center;"><input type="checkbox"/> 36L3KUV³</td> </tr> <tr> <td></td> <td style="text-align: center;"><input type="checkbox"/> 18L5KUV³</td> <td style="text-align: center;"><input type="checkbox"/> 36L5KUV³</td> </tr> <tr> <td style="text-align: center;">Lamp</td> <td style="text-align: center;">LED</td> <td style="text-align: center;">LED</td> </tr> <tr> <td style="text-align: center;">Socket</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> </table>		Pulse Start Metal Halide		High Pressure Sodium			<input type="checkbox"/> 50PMH120	<input type="checkbox"/> 70PMH120	<input type="checkbox"/> 50HPS120	<input type="checkbox"/> 70HPS120		<input type="checkbox"/> 50PMH208	<input type="checkbox"/> 70PMH208				<input type="checkbox"/> 50PMH240	<input type="checkbox"/> 70PMH240				<input type="checkbox"/> 50PMH277	<input type="checkbox"/> 70PMH277	<input type="checkbox"/> 50HPS277	<input type="checkbox"/> 70HPS277	Lamp	ED-17, Coated	ED-17, Coated	ED-17, Coated	ED-17, Coated	Socket	Medium Base	Medium Base	Medium Base	Medium Base	ANSI Ballast	M-98	M-98	S-68	S-62		Incandescent	Compact Fluorescent			<input type="checkbox"/> 100INC120	<input type="checkbox"/> 13PL120¹	<input type="checkbox"/> 42PL²			<input type="checkbox"/> 13PL277¹		Lamp	T-10 Inside Frost	Coated (2) Twin Tubes	Coated Triple Tubes	Socket	—	GX23-2	GX24q-4		LED			<input type="checkbox"/> 18L3KUV³	<input type="checkbox"/> 36L3KUV³		<input type="checkbox"/> 18L5KUV³	<input type="checkbox"/> 36L5KUV³	Lamp	LED	LED	Socket	N/A	N/A
Lamp	Lamp	Line																																																																																			
Watts	Type	Volts																																																																																			
50	PMH	277																																																																																			
	Pulse Start Metal Halide		High Pressure Sodium																																																																																		
	<input type="checkbox"/> 50PMH120	<input type="checkbox"/> 70PMH120	<input type="checkbox"/> 50HPS120	<input type="checkbox"/> 70HPS120																																																																																	
	<input type="checkbox"/> 50PMH208	<input type="checkbox"/> 70PMH208																																																																																			
	<input type="checkbox"/> 50PMH240	<input type="checkbox"/> 70PMH240																																																																																			
	<input type="checkbox"/> 50PMH277	<input type="checkbox"/> 70PMH277	<input type="checkbox"/> 50HPS277	<input type="checkbox"/> 70HPS277																																																																																	
Lamp	ED-17, Coated	ED-17, Coated	ED-17, Coated	ED-17, Coated																																																																																	
Socket	Medium Base	Medium Base	Medium Base	Medium Base																																																																																	
ANSI Ballast	M-98	M-98	S-68	S-62																																																																																	
	Incandescent	Compact Fluorescent																																																																																			
	<input type="checkbox"/> 100INC120	<input type="checkbox"/> 13PL120¹	<input type="checkbox"/> 42PL²																																																																																		
		<input type="checkbox"/> 13PL277¹																																																																																			
Lamp	T-10 Inside Frost	Coated (2) Twin Tubes	Coated Triple Tubes																																																																																		
Socket	—	GX23-2	GX24q-4																																																																																		
	LED																																																																																				
	<input type="checkbox"/> 18L3KUV³	<input type="checkbox"/> 36L3KUV³																																																																																			
	<input type="checkbox"/> 18L5KUV³	<input type="checkbox"/> 36L5KUV³																																																																																			
Lamp	LED	LED																																																																																			
Socket	N/A	N/A																																																																																			
<p>Finish</p> <p>Super TGIC powder coat paint over a titanated zirconium conversion coating.</p>	<p>Color: Black Dark Bronze Light Gray Stealth Gray™ Platinum Silver White Custom Color⁴</p> <p>Cat. No.: <input type="checkbox"/> BL <input type="checkbox"/> DB <input type="checkbox"/> LG <input type="checkbox"/> SG <input type="checkbox"/> PS <input type="checkbox"/> WH <input type="checkbox"/> CC</p> <p>⁴Custom colors subject to additional charges, minimum quantities and extended lead times. Consult representative. Custom color description: _____</p>																																																																																				

Type:

Job:

Page: 3 of 3



Optional Features

Textured Glass Lens

Cat. No. **TG**
 No Option

Unique textured glass reduces LED glare and improves visual comfort.

Emergency Battery Back-up

Cat. No. **EM**
 No Option

Internal battery pack provides 90 minutes of supplemental light at 23% of initial lamp lumens for 26, 32, or 42 watt compact fluorescent lamps.




Cold-Pack Emergency Battery Pack

Cat. No. **EM-CP**
 No Option

The EM-CP option is a temperature controlled ballast designed to maintain operation without interruption within a range of hi/low ambient temperatures, -20°C to +55°C.

Internal Cold-Pack emergency battery pack provides up to 90 minutes of supplemental light. See following table for max. lumens output by lamps.



Lamp (4-Pin)	1 lamp lumens
42W	750
32W	575
26W	450